

- **Question 1**

1 out of 1 points

Sara is a 38 y/o multipara who is in her 6th-7th month of pregnancy with her fourth child. She has a new onset of vaginal bleeding that is worsened by intercourse. On external physical exam, you note that her uterus is soft and non-tender to palpation. The most likely diagnosis for this condition is:

Selected
Answer:



Placenta previa

Answers:

Placental abruption

Severe preeclampsia



Placenta previa

None of the above

- **Question 2**

1 out of 1 points

Adela is a 38 y/o overweight female who presents to the clinic with RUQ pain that occurs approximately 1 hour after eating a fatty meal. The most likely diagnosis for Adela is:

Selected
Answer:



Acute cholecystitis

Answers:

Acute pancreatitis



Acute cholecystitis

Crohn's disease

Ulcerative colitis

- **Question 3**

1 out of 1 points

Martin is a 17y/o male who comes to the clinic with the following chief complaint: "I have pain around my belly button and have had no appetite for the past 24 hours. I have had some nausea and have vomited three times. I have had a low-grade fever also." During the clinical exam, the NP notices that Martin has some guarding and rebound tenderness in the RLQ. The most likely

diagnosis for this patient is:

Selected 
Answer: Acute appendicitis

Answers: 
Acute appendicitis
Cholecystitis
Acute diverticulosis
Acute pancreatitis

- **Question 4**

1 out of 1 points

Sara is a 38 y/o multipara who is in her 6th-7th month of pregnancy with her fourth child. She has a new onset of vaginal bleeding that is worsened by intercourse. On external physical exam, you note that her uterus is soft and non-tender to palpation. Knowing that her cervix is not dilated, the most appropriate treatment would be:

Selected 
Answer: Strict bedrest

Answers: An emergency room visit


Strict bedrest
Hospitalization
All of the above

- **Question 5**

1 out of 1 points

Mark is an alcoholic who is stopped for drunk driving. When the officers approach him he states that he wants to die. The officers decide that for his own protection they will Baker Act him. The Baker Act allows for involuntary detention for what period.

Selected 
Answer: 72 hours

Answers: Until the person sobers up
 48 hours
 
 72 hours
 96 hours

• **Question 6**

1 out of 1 points

The typical ratio of basal to bolus insulin is:

Selected 
Answer: 50:50 or 60:40

Answers: 70:30 or 55:45
 
 50:50 or 60:40
 40:60 to 45:55
 None of the
 above

• **Question 7**

1 out of 1 points

Amanda was out hiking with her boyfriend in the woods. When she gets home, she notices that she has an inflammatory skin reaction caused by something she picked up in the woods. The next day she sees bright red pruritic lesions on her lower extremities that are moist and painful. Treatment for Amanda's condition would include which of the following?

Selected 
Answer: All of the above

Answers: Topical steroids
 Triamcinolone
 Calamine lotion
 Oatmeal baths
 (Aveeno)
 
 All of the above