

Question 1

1 out of 1 points

One of the most common side effects of SSRIs is:

Selected



Answer:
dysfunction

Erectile

Answers:

Nausea

Ataxia



Erectile dysfunction

Seizures

- **Question 2**

1 out of 1 points

Joan is a 39 y/o female who presents to the clinic with a chief complaint of: 3-day history of fever (101 F degrees), chills, n & v, and flank pain. During the physical exam, the NP notices that Joan has CVA tenderness. In a urine check, the NP notes that she has many leukocytes, hematuria, WBC casts, and mild proteinuria. The most likely diagnosis is:

Selected



Answer:

Acute pyelonephritis

Answers:



Acute pyelonephritis

Nephrolithiasis

Simple UTI

None of the above

- **Question 3**

1 out of 1 points

Randy is a 29 y/o African American male who has a body mass index (BMI) of 30, does not exercise, and has evidence of metabolic syndrome. The first line treatment for Randy's diagnosis would be:

Selected



Answer:

Metformin

Answers:

Insulin

Actos



Metformin

Glucotrol

- **Question 4**

1 out of 1 points

Pneumococcal vaccine is recommended for which of the following groups of patients?

Selected



Answer:

All of the above

Answers:

Persons > 65 y/o

Impaired immunity Blood disorders

Heart and lung disease



All of the above

A, B & D only

- **Question 5**

1 out of 1 points

Martin is a 73 y/o male who has a 50 pack/year history of smoking and comes to the clinic for his annual physical. As you are leading him back to the exam room you note that he has dyspnea with minimal cough, a barrel chest, and appears to have lost weight since his last visit. Your physical exam confirms a 20 lb. weight loss and more noticeable pursed lip breathing. Your diagnosis is:

Selected



Answer:

COPD

Answers:

Chronic bronchitis

Emphysema



COPD

- **Question 6**

1 out of 1 points

Artie, a 36 y/o male, comes to the clinic with chief complaint of: intermittent flank one side flank pain. The pain is an 8 on a scale of 1–10, with 10 being the worst pain he has ever felt. He states the pain lasts from 20–60 minutes and that he must either stand or walk when the pain hits. He also notes that he has blood in his urine. His most likely diagnosis is:

Selected



Answer:

Nephrolithiasis (kidney stone)

Answers:

Acute pyelonephritis



Nephrolithiasis (kidney stone)

Bladder cancer

None of the above

- **Question 7**

1 out of 1 points

Which of the following insulins is a “rapid acting” insulin?