

- **Question 1**

1 out of 1 points

In treating patients for depression, the first line pharmacological treatment would be:

Selected
Answer: 

Selective serotonin reuptake inhibitors (SSRIs)

Answers: Monoamine oxidase inhibitors (MAOIs)
Benzodiazepines



Selective serotonin reuptake inhibitors (SSRIs)

Tricyclic antidepressants (TCAs)

- **Question 2**

1 out of 1 points

Mary is a new mother who was tested HBsAG+ during her prenatal screening process. Upon the birth of her infant, the newborn should be given HBIG and Hep B within:

Selected
Answer: 

12 hours of birth

Answers: 

12 hours of
birth 24 hours
of birth 36
hours of birth

- **Question 3** 48 hours of
birth

1 out of 1 points

Jon, a 63 y/o male, comes to the clinic with the following presentation. He reports a sudden eruption of multiple vesicular lesions on his scalp, forehead, and sides and tips of his nose. Treatment for Jon's condition would include which of the following drugs?

Selected
Answer: 

All of the
above

Answers: Acyclovir
Valacyclovir
Famciclovir

All of the above
None of the above

- **Question 4**

1 out of 1 points

All of the following are characteristic of the S4 heart sound except

Selected Answer:  Occurs during systole
Answers: Normal finding in some healthy elderly

Occurs during systole
Best heard at apex of the heart
Best heard with bell of stethoscope

- **Question 5**

1 out of 1 points

The average age range of the beginning of natural menopause is:

Selected Answer:  50-51 y/o
Answers: 40-45 y/o
46-50 y/o

50-51 y/o
52-53 y/o

- **Question 6**

1 out of 1 points

Randy is a 29 y/o African American male who has a body mass index (BMI) of 30, does not exercise, and has evidence of metabolic syndrome. The first line treatment for Randy's diagnosis would be:

Selected 
Answer: Metformin

Answers: Insulin
Actos

Metformin
Glucotrol

- **Question 7**

1 out of 1 points

Judy, a 28 y/o, presents to the clinic with a fever, vaginal discharge, and pain in the lower abdomen, pelvis, and lower back. These symptoms are accompanied by chills, nausea, and vomiting. Treatment for Judy's condition would include all the following drugs except:

Selected 
Answer: Amoxicillin

Answers: Cefotan

Amoxicillin
Ceftriaxone
Metronidazole

- **Question 8**

1 out of 1 points

Differential diagnoses for patients with alcohol use disorder would include all the following except:

Selected 
Answer: Pulmonary disease

Answers: Depression

Pulmonary disease
Peptic ulcer disease
Essential hypertension

- **Question 9**