

- **Question 1**

1 out of 1 points

Which of the following contraceptive drugs are used in the treatment of acne?

Selected



Answer:

A, B, & C only

Answers:

Desogen

Ortho-
Tricyclen

Yasmin

Mirena



A, B, & C only

- **Question 2**

1 out of 1 points

Menopause is associated with a dramatic decline in estrogen levels.

Selected

Answer:



True

Answers:



True

False

• Question 3

1 out of 1 points

Danger signs of oral contraceptives include all the following except:

Selected

Answer:



Weakness on both sides of the body

Answers:

Chest pain

Severe headache



Weakness on both sides of the body

Visual changes in one eye

• Question 4

1 out of 1 points

Agnes is a 26 y/o female who comes to the clinic with intermittent episodes of moderate to severe cramping in the LLQ. She has bloating that is relieved with defecation. The most likely cause is:

Selected
Answer:



Irritable bowel
syndrome

Answers:



Irritable bowel
syndrome

Peptic ulcer disease

GERD

Pancreatitis

• Question 5

1 out of 1 points

Sara is a 38 y/o multipara who is in her 6th-7th month of pregnancy with her fourth child. She has a new onset of vaginal bleeding that is worsened by intercourse. On external physical exam, you note that her uterus is soft and non-tender to palpation. If Sara started having uterine cramping, then the most appropriate immediate treatment would be:

Selected
Answer:



Intravenous
magnesium

Answers:

Vaginal exam

Ultrasound of the
uterus

C-section



Intravenous
magnesium

- **Question 6**

1 out of 1 points

Martin is a 73 y/o male who has a 50 pack/year history of smoking and comes to the clinic for his annual physical. As you are leading him back to the exam room you note that he has dyspnea with minimal cough, a barrel chest, and appears to have lost weight since his last visit. Your physical exam confirms a 20 lb. weight loss and more noticeable pursed lip breathing. Given Martin's condition, the first line treatment would be all the following except:

Selected
Answer:



Salmeterol

Answers:

Albuterol



Salmeterol

Levalbuterol

Metaproteren
ol

- **Question 7**

1 out of 1 points

Martin is a 41 y/o male who comes to the clinic with the following symptoms: fever, chills, and malaise. On physical exam, the NP notes that he has a new murmur that was not present at his last visit and is aware that he has a prosthetic valve. He also has